

FINAL NEET(UG)-2020 EXAMINATION

(Held On Sunday 13th SEPTEMBER, 2020)

BIOLOGY

TEST PAPER WITH ANSWER & SOLUTIONS

- **46.** The transverse section of a plant shows following anatomical features:
 - (a) Large number of scattered vascular bundles surrounded by bundle sheath.
 - (b) Large conspicuous parenchymatous ground tissue.
 - (c) Vascular bundles conjoint and closed.
 - (d) Phloem parenchyma absent.

Identify the category of plant and its part :-

- (1) Dicotyledonous root
- (2) Monocotyledonous stem
- (3) Monocotyledonous root
- (4) Dicotyledonous stem
- Ans. (2) Monocotyledonous stem
- **47.** Which of the following would help in prevention of diuresis?
 - (1) Decrease in secretion of renin by JG cells
 - (2) More water reabsorption due to undersecretion of ADH
 - (3) Reabsorption of Na⁺ and water from renal tubules due to aldosterone
 - (4) Atrial natriuretic factor causes vasoconstriction
- **Ans. (3)** Reabsorption of Na⁺ and water from renal tubules due to aldosterone
- **48.** Which of the following statements is **not correct**?
 - (1) Genetically engineered insulin is produced in *E-Coli*.
 - (2) In man insulin is synthesised as a proinsulin.
 - (3) The proinsulin has an extra peptide called C-peptide.
 - (4) The functional insulin has A and B chains linked together by hydrogen bonds.
- **Ans. (4)** The functional insulin has A and B chains linked together by hydrogen bonds.
- **49.** Embryological support for evolution was disapproved by :
 - (1) Oparin
 - (2) Karl Ernst von Baer
 - (3) Alfred Wallace
 - (4) Charles Darwin
- Ans. (2) Karl Ernst von Baer

- **50.** Goblet cells of alimentary canal are modified from :
 - (1) Compound epithelial cells
 - (2) Squamous epithelial cells
 - (3) Columnar epithelial cells
 - (4) Chondrocytes
- Ans. (3) Columnar epithelial cells
- **51.** The QRS complex in a standard ECG represents:
 - (1) Repolarisation of ventricles
 - (2) Repolarisation of auricles
 - (3) Depolarisation of auricles
 - (4) Depolarisation of ventricles
- Ans. (4) Depolarisation of ventricles
- **52.** In light reaction, plastoquinone facilitates the transfer of electrons from :
 - (1) PS-I to ATP synthase
 - (2) PS-II to Cytb₆f complex
 - (3) Cytb₆f complex to PS-I
 - (4) PS-I to NADP+
- **Ans. (2)** PS-II to Cytb₆f complex
- **53.** The product(s) of reaction catalyzed by nitrogenase in root nodules of leguminous plants is/are:
 - (1) Ammonia and hydrogen
 - (2) Ammonia alone
 - (3) Nitrate alone
 - (4) Ammonia and oxygen
- Ans. (1) Ammonia and hydrogen
- **54.** Match the following with respect to meiosis:
 - (a) Zygotene
- (i) Terminalization
- (b) Pachytene
- (ii) Chiasmata
- (c) Diplotene
- (iii) Crossing over
- (d) Diakinesis
- (iv) Synapsis

Select the **correct** option from the following:

		(a)	(b)	(c)	(d)
	(1)	(ii)	(iv)	(iii)	(i)
	(2)	(iii)	(iv)	(i)	(ii)
	(3)	(iv)	(iii)	(ii)	(i)
	(4)	(i)	(ii)	(iv)	(iii)
Ans.	(3)	(i∨)	(iii)	(ii)	(i)



Match the following columns and select the **correct 55.** option.

Column -I

Column -II

- (a) 6-15 pairs of gill slits
 - (i) Trygon
- (b) Heterocercal caudal fin
- (ii) Cyclostomes
- (c) Air Bladder
- (iii) Chondrichthyes
- (d) Poison sting
- (iv) Osteichthyes

(a)	(b)	(c)	(d)
(1) (i)	(iv)	(iii)	(ii)
(2) (ii)	(iii)	(iv)	(i)
(3) (iii)	(iv)	(i)	(ii)
(4) (iv)	(ii)	(iii)	(i)
(2) (ii)	(iii)	(i∨)	(i)

- **56**. Which is the important site of formation of glycoproteins and glycolipids in eukaryotic cells?
 - (1) Polysomes

Ans.

- (2) Endoplasmic reticulum
- (3) Peroxisomes
- (4) Golgi bodies

Ans. (4) Golgi bodies

- **57**. Match the organism with its use in biotechnology.
 - (a) Bacillus
- (i) Cloning vector
- (b) Thermus aquaticus

thuringiensis

- (ii) Construction of first rDNA molecule
- (c) Agrobacterium tumefaciens
- (iii) DNApolymerase
- (d) Salmonella typhimurium
- (iv) Cry proteins

Select the **correct** option from the following:

		(a)	(b)	(c)	(d)
	(1)	(iii)	(i∨)	(i)	(ii)
	(2)	(ii)	(iv)	(iii)	(i)
	(3)	(iv)	(iii)	(i)	(ii)
	(4)	(iii)	(ii)	(iv)	(i)
Ans.	(3)	(iv)	(iii)	(i)	(ii)

- **58**. Experimental verification of the chromosomal theory of inheritance was done by:
 - (1) Morgan
- (2) Mendel
- (3) Sutton
- (4) Boveri

Ans. (1) Morgan

- **59**. Match the following:
 - (a) Inhibitor of catalytic activity
- (i) Ricin
- (b) Possess peptide bonds
- (ii) Malonate
- (c) Cell wall material in
- (iii) Chitin

fungi

- (d) Secondary metabolite
- (iv) Collagen

Choose the **correct** option from the following:

		(a)	(b)	(c)	(d)
	(1)	(ii)	(iii)	(i)	(iv)
	(2)	(ii)	(iv)	(iii)	(i)
	(3)	(iii)	(i)	(iv)	(ii)
	(4)	(iii)	(iv)	(i)	(ii)
Ans.	(2)	(ii)	(iv)	(iii)	(i)

- Bilaterally symmetrical and acoelomate animals are **60**. exemplified by:
 - (1) Annelida
 - (2) Ctenophora
 - (3) Platyhelminthes
 - (4) Aschelminthes
- Ans. (3) Platyhelminthes
- 61. Floridean starch has structure similar to:
 - (1) Laminarin and cellulose
 - (2) Starch and cellulose
 - (3) Amylopectin and glycogen
 - (4) Mannitol and algin

Ans. (3) Amylopectin and glycogen

- **62**. Identify the correct statement with regard to G_1 phase (Gap 1) of interphase.
 - (1) Nuclear Division takes place.
 - (2) DNA synthesis or replication takes place.
 - (3) Reorganisation of all cell components takes
 - (4) Cell is metabolically active, grows but does not replicate its DNA.
- Ans. (4) Cell is metabolically active, grows but does not replicate its DNA.



- **63.** If the head of cockroach is removed, it may live for few days because:
 - (1) the head holds a $1/3^{rd}$ of a nervous system while the rest is situated along the dorsal part of its body.
 - (2) the supra-oesophageal ganglia of the cockroach are situated in ventral part of abdomen.
 - (3) the cockroach does not have nervous system.
 - (4) the head holds a small proportion of a nervous system while the rest is situated along the ventral part of its body.
- **Ans. (4)** the head holds a small proportion of a nervous system while the rest is situated along the ventral part of its body.
- **64.** The enzyme enterokinase helps in conversion of :
 - (1) pepsinogen into pepsin
 - (2) protein into polypeptides
 - (3) trypsinogen into trypsin
 - (4) caseinogen into casein
- Ans. (3) trypsinogen into trypsin
- **65.** Match the following columns and select the **correct** option.

Column -I Column - II (a) Organ of Corti (i) Connects middle ear and pharynx (b) Cochlea (ii) Coiled part of the labyrinth (c) Eustachian tube (iii) Attached to the oval window (iv) Located on the basilar (d) Stapes membrane **(b)** (a) (c) (d) (1) (i) (ii) (iv) (iii) (2) (ii) (iii) (i) (iv) (3) (iii) (i) (iv) (ii) (4) (iv) (ii) (i) (iii) **Ans. (4)** (iv) (ii) (i) (iii)

- **66.** Identify the wrong statement with reference to transport of oxygen.
 - (1) Low pCO₂ in alveoli favours the formation of oxyhaemoglobin.
 - (2) Binding of oxygen with haemoglobin is mainly related to partial pressure of O_2 .
 - (3) Partial pressure of CO_2 can interfere with O_2 binding with haemoglobin.
 - (4) Higher H⁺ conc. in alveoli favours the formation of oxyhaemoglobin.
- **Ans. (4)** Higher H⁺ conc. in alveoli favours the formation of oxyhaemoglobin.

- **67.** In water hyacinth and water lily, pollination takes place by :
 - (1) insects and water
 - (2) insects or wind
 - (3) water currents only
 - (4) wind and water
- Ans. (2) insects or wind
- **68.** Bt cotton variety that was developed by the introduction of toxin gene of *Bacillus thuringiensis*
 - (Bt) is resistant to :(1) Insect predators
 - (2) Insect pests
 - (3) Fungal diseases
 - (4) Plant nematodes
- Ans. (2) Insect pests
- **69.** Select the correct statement.
 - (1) Insulin is associated with hyperglycemia.
 - (2) Glucocorticoids stimulate gluconeogenesis.
 - (3) Glucagon is associated with hypoglycemia.
 - (4) Insulin acts on pancreatic cells and adipocytes.
- **Ans.** (2) Glucocorticoids stimulate gluconeogenesis.
- **70.** Identify the basic amino acid from the following.
 - (1) Valine
- (2) Tyrosine
- (3) Glutamic Acid
- (4) Lysine
- Ans. (4) Lysine
- **71.** Flippers of Penguins and Dolphins are examples of:
 - (1) Natural selection
 - (2) Adaptive radiation
 - (3) Convergent evolution
 - (4) Industrial melanism
- **Ans.** (3) Convergent evolution
- **72.** From his experiments, S.L. Miller produced amino acids by mixing the following in a closed flask:
 - (1) CH₃, H₂, NH₃ and water vapor at 600°C
 - (2) CH_4 , H_2 , NH_3 and water vapor at $800^{\circ}C$
 - (3) CH₃, H₂, NH₄ and water vapor at 800°C
 - (4) CH₄, H₂, NH₃ and water vapor at 600°C
- **Ans.** (2) CH_4 , H_2 , NH_3 and water vapor at $800^{\circ}C$

Column - II



- **73.** The specific palindromic sequence which is recognized by EcoRI is:
 - (1) 5' GGATCC 3'
 - 3' CCTAGG 5'
 - (2) 5' GAATTC 3'
 - 3' CTTAAG 5'
 - (3) 5' GGAACC 3'
 - 3' CCTTGG 5'
 - (4) 5' CTTAAG 3'
 - 3' GAATTC 5'
- **Ans.** (2) 5' GAATTC 3'
 - 3' CTTAAG 5'
- **74.** Secondary metabolites such as nicotine, strychnine and caffeine are produced by plants for their:
 - (1) Effect on reproduction
 - (2) Nutritive value
 - (3) Growth response
 - (4) Defence action
- Ans. (4) Defence action
- **75.** Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?
 - (1) Renal calculi and Hyperglycaemia
 - (2) Uremia and Ketonuria
 - (3) Uremia and Renal Calculi
 - (4) Ketonuria and Glycosuria
- Ans. (4) Ketonuria and Glycosuria
- **76.** Which of the following statements are true for the phylum-Chordata?
 - (a) In Urochordata notochord extends from head to tail and it is present throughout their life.
 - (b) In Vertebrata notochord is present during the embryonic period only.
 - (c) Central nervous system is dorsal and hollow.
 - (d) Chordata is divided into 3 subphyla :Hemichordata, Tunicata and Cephalochordata.
 - (1) (b) and (c)
 - (2) (d) and (c)
 - (3) (c) and (a)
 - (4) (a) and (b)
- **Ans.** (1) (b) and (c)

- **77.** Cuboidal epithelium with brush border of microvilli is found in:
 - (1) eustachian tube
 - (2) lining of intestine

Column - I

- (3) ducts of salivary glands
- (4) proximal convoluted tubule of nephron
- **Ans. (4)** proximal convoluted tubule of nephron
- **78.** Match the following columns and select the correct option.

	Colui			Column II	
(a)	Clostr	idium	(i)	Cyclosporin - A	
	butylic	cum			
(b)	Tricho	derma	(ii)]	Butyric Acid	
	polysp	orum			
(c)	Monas	scus	(iii) Citric Acid		
	purpu	reus			
(d)	Asper	gillus niger	(iv) Blood cholesterol		
				lowering agent	
	(a)	(b)	(c)	(d)	
(1)	(iv)	(iii)	(ii)	(i)	
(2)	(iii)	(iv)	(ii)	(i)	
(3)	(ii)	(i)	(iv)	(iii)	
(4)	(i)	(ii)	(iv)	(iii)	

- **79.** Which of the following is correct about viroids?
 - (1) They have free DNA without protein coat.

(iv)

(iii)

(2) They have RNA with protein coat.

(i)

- (3) They have free RNA without protein coat.
- (4) They have DNA with protein coat.
- **Ans. (3)** They have free RNA without protein coat.
- **80.** The body of the ovule is fused within the funicle at:
 - (1) Chalaza
- (2) Hilum
- (3) Micropyle
- (4) Nucellus
- Ans. (2) Hilum

Ans. (3) (ii)

- **81.** The oxygenation activity of RuBisCo enzyme in photorespiration leads to the formation of :
 - (1) 1 molecule of 4-C compound and 1 molecule of 2-C compound.
 - (2) 2 molecules of 3-C compound
 - (3) 1 molecule of 3-C compound
 - (4) 1 molecule of 6-C compound
- Ans. (3) 1 molecule of 3-C compound



82. Match the following columns and select the correct

Column - I (a) Eosinophils

Column - II

- (i) Immune response
- (b) Basophils
- (ii) Phagocytosis
- (c) Neutrophils
- (iii) Release histaminase. destructive enzymes
- (d) Lymphocytes
- (iv) Release granules containing

histamine

		(a)	(b)	(c)	(d)
	(1)	(ii)	(i)	(iii)	(iv)
	(2)	(iii)	(iv)	(ii)	(i)
	(3)	(iv)	(i)	(ii)	(iii)
	(4)	(i)	(ii)	(iv)	(iii)
Ans.	(2)	(iii)	(iv)	(ii)	(i)

- 83. Which of the following hormone levels will cause release of ovum (ovulation) from the graffian follicle?
 - (1) Low concentration of FSH
 - (2) High concentration of Estrogen
 - (3) High concentration of Progesterone
 - (4) Low concentration of LH
- **Ans.** (2) High concentration of Estrogen
- Select the correct events that occur during inspiration.
 - (a) Contraction of diaphragm
 - (b) Contraction of external inter-costal muscles
 - (c) Pulmonary volume decreases
 - (d) Intra pulmonary pressure increases
 - (1) only (d)
 - (2) (a) and (b)
 - (3) (c) and (d)
 - (4) (a), (b) and (d)
- Ans. (2) (a) and (b)
- In which of the following techniques, the embryos are transferred to assist those females who cannot conceive?
 - (1) GIFT and ICSI
 - (2) ZIFT and IUT
 - (3) GIFT and ZIFT
 - (4) ICSI and ZIFT
- Ans. (2) ZIFT and IUT

- 86. The infectious stage of *Plasmodium* that enters the human body is:
 - (1) Male gametocytes
- (2) Trophozoites

- (3) Sporozoites
- (4) Female gametocytes

Ans. (3) Sporozoites

87. Match the following columns and select the **correct** option.

	Colum	nn-I	Column-II		
	(a) Placent	a	(i) Androgen	S	
	(b) Zona p	ellucida	(ii) Human C	Chorionic	
			Gonadotropin (hCG)		
	(c) Bulbo-u	rethral glands	(iii) Layer of	the ovum	
	(d) Leydig	cells	(iv) Lubrication of the		
			Penis		
	(a)	(b)	(c)	(d)	
	(1) (ii)	(iii)	(iv)	(i)	
	(2) (iv)	(iii)	(i)	(ii)	
	(3) (i)	(iv)	(ii)	(iii)	
	(4) (iii)	(ii)	(iv)	(i)	
Ans.	(1) (ii)	(iii)	(iv)	(i)	

- 88. Select the **correct** match.
 - (1) Thalassemia X linked
 - (2) Haemophilia Y linked
 - (3) Phenylketonuria Autosomal dominant trait
 - (4) Sickle cell anaemia Autosomal recessive trait,

chromosome-11

- Ans. (4) Sickle cell anaemia Autosomal recessive trait, chromosome-11
- **89**. Which of the following statements is **correct**?
 - (1) Adenine does not pair with thymine
 - (2) Adenine pairs with thymine through two H-bonds
 - (3) Adenine pairs with thymine through one H-bond
 - (4) Adenine pairs with thymine through three H-bonds
- **Ans. (2)** Adenine pairs with thymine through two H-bonds
- Which of the following is the most abundant protein **90**. in the animals?
 - (1) Insulin
- (2) Haemoglobin
- (3) Collagen
- (4) Lectin

Ans. (3) Collagen

- 91. Which of the following pairs is of unicellular algae?
 - (1) Chlorella and Spirulina
 - (2) Laminaria and Sargassum
 - (3) Gelidium and Gracilaria
 - (4) Anabaena and Volvox
- Ans. (1) Chlorella and Spirulina



- **92.** The plant parts which consist of two generations one within the other:
 - (a) Pollen grains inside the anther
 - (b) Germinated pollen grain with two male gametes
 - (c) Seed inside the fruit
 - (d) Embryo sac inside the ovule
 - (1) (a) and (d)
- (2) (a) only
- (3) (a), (b) and (c)
- (4) (c) and (d)

Ans. (1) (a) and (d)

- **93.** Identify the **incorrect** statement.
 - (1) Due to deposition of tannins, resins, oils etc., heart wood is dark in colour
 - (2) Heart wood does not conduct water but gives mechanical support
 - (3) Sapwood is involved in conduction of water and minerals from root to leaf
 - (4) Sapwood is the innermost secondary xylem and is lighter in colour
- **Ans. (4)** Sapwood is the innermost secondary xylem and is lighter in colour
- **94.** By which method was a new breed 'Hisardale' of sheep formed by using Bikaneri ewes and Marino rams?
 - (1) Inbreeding
 - (2) Out crossing
 - (3) Mutational breeding
 - (4) Cross breeding
- Ans. (4) Cross breeding
- **95.** Some dividing cells exit the cell cycle and enter vegetative inactive stage. This is called quiescent stage (G_0). This process occurs at the end of :
 - (1) G₂ phase
- (2) M phase
- (3) G₁ phase
- (4) S phase
- **Ans.** (2) M phase / (3) G_1 phase
- **96.** Identify the **correct** statement with reference to human digestive system.
 - (1) Vermiform appendix arises from duodenum
 - (2) Ileum opens into small intestine
 - (3) Serosa is the innermost layer of the alimentary canal
 - (4) Ileum is highly coiled part
- Ans. (4) Ileum is highly coiled part

- **97.** Which of the following refer to **correct** example(s) of organisms which have evolved due to changes in environment brought about by anthropogenic action?
 - (a) Darwin's Finches of Galapagos islands.
 - (b) Herbicide resistant weeds.
 - (c) Drug resistant eukaryotes.
 - (d) Man-created breeds of domesticated animals like dogs.
 - (1) Only (d)
- (2) Only (a)
- (3) (a) and (c)
- (4) (b), (c) and (d)

Ans. (4) (b), (c) and (d)

98. Match the following columns and select the **correct** option:

	Column	ı-I	Column-II		
	(a) Pituitary	gland	(i) Grave's di	sease	
	(b) Thyroid g	land	(ii) Diabetes	mellitus	
	(c) Adrenal g	gland	(iii) Diabetes insipidus		
	(d) Pancreas		(iv) Addision's disease		
	(a)	(b)	(c)	(d)	
	(1) (ii)	(i)	(iv)	(iii)	
	(2) (iv)	(iii)	(i)	(ii)	
	(3) (iii)	(ii)	(i)	(iv)	
	(4) (iii)	(i)	(iv)	(ii)	
Ans.	(4) (iii)	(i)	(iv)	(ii)	

- **99.** Select the option including all sexually transmitted diseases.
 - (1) Cancer, AIDS, Syphilis
 - (2) Gonorrhoea, Syphilis, Genital herpes
 - (3) Gonorrhoea, Malaria, Gential herpes
 - (4) AIDS, Malaria, Filaria
- Ans. (2) Gonorrhoea, Syphilis, Genital herpes
- **100.** The number of substrate level phosphorylations in one turn of citric acid cycle is :
 - (1) Three
- (2) Zero
- (3) One
- (4) Two

Ans. (3) One



- **101.** Montreal protocol was signed in 1987 for control of :
 - (1) Disposal of e-wastes
 - (2) Transport of Genetically modified organisms from one country to another
 - (3) Emission of ozone depleting substances
 - (4) Release of Green House gases
- Ans. (3) Emission of ozone depleting substances
- **102.** Match the following concerning essential elements and their functions in plants:
 - (a) Iron
- (i) Photolysis of water
- (b) Zinc
- (ii) Pollen germination
- (c) Boron

Ans.

- (iii) Required for chlorophyll biosynthesis
- (d) Manganese

Column-I

(iv) IAA biosynthesis

Column-II

Select the **correct** option:

(a)	(b)	(c)	(d)
(1) (iv)	(i)	(ii)	(iii)
(2) (ii)	(i)	(iv)	(iii)
(3) (iv)	(iii)	(ii)	(i)
(4) (iii)	(iv)	(ii)	(i)
(4) (iii)	(iv)	(ii)	(i)

103. Match the following columns and select the **correct** option.

	(a) Gregar	(i) Asterias		
	pest			
	(b) Adult v	vith radial s	symmetry	(ii) Scorpion
	and la	rva with bi	lateral	
	symm	etry		
	(c) Book lu	(iii) Ctenoplana		
	(d) Biolum	(iv) Locusta		
	(a)	(b)	(c)	(d)
	(1) (ii)	(i)	(iii)	(iv)
	(2) (i)	(iii)	(ii)	(iv)
	(3) (iv)	(i)	(ii)	(iii)
	(4) (iii)	(ii)	(i)	(iv)
Ans.	(3) (iv)	(i)	(ii)	(iii)

- **104.** According to Robert May, the global species diversity is about :
 - (1) 7 million
- (2) 1.5 million
- (3) 20 million
- (4) 50 million
- Ans. (1) 7 million
- **105.** Ray florets have :
 - (1) Half inferior ovary
 - (2) Inferior ovary
 - (3) Superior ovary
 - (4) Hypogynous ovary
- Ans. (2) Inferior ovary
- **106.** If the distance between two consecutive base pairs is 0.34 nm and the total number of base pairs of a DNA double helix in a typical mammalian cell is 6.6×10^9 bp, then the length of the DNA is approximately:
 - (1) 2.7 meters
- (2) 2.0 meters
- (3) 2.5 meters
- (4) 2.2 meters
- **Ans. (4)** 2.2 meters
- **107.** Match the following columns and select the **correct** option.

		Colun	nn - I			Column - II
	(a)	Bt cott	on		(i)	Gene therapy
	(b)	Adeno	sine		(ii)	Cellular defence
		deamir	nase			
		deficie	ncy			
	(c)	RNAi			(iii)	Detection of HIV
						infection
	(d)	PCR			(iv)	Bacillus thuringiensis
		(a)	(b)	(c)	(d))
	(1)	(i)	(ii)	(iii)	(i∨)	
	(2)	(iv)	(i)	(ii)	(iii)	
	(3)	(iii)	(ii)	(i)	(i∨)	
	(4)	(ii)	(iii)	(iv)	(i)	
Ans.	(2)	(i∨)	(i)		(ii)	(iii)



- **108.** Match the trophic levels with their **correct** species examples in grassland ecosystem.
 - (a) Fourth trophic level (i) Crow
 - (b) Second trophic level (ii) Vulture
 - (c) First trophic level (iii) Rabbit
 - (d) Third trophic level (iv) Grass

Select the **correct** option:

		(a)	(b)	(c)	(d)	
	(1)	(i)	(ii)	(iii)	(iv)	
	(2)	(ii)	(iii)	(i∨)	(i)	
	(3)	(iii)	(ii)	(i)	(iv)	
	(4)	(iv)	(iii)	(ii)	(i)	
Ans.	(2)	(ii)	(iii)		(iv)	(i)

109. Match the following diseases with the causative organism and select the **correct** option.

Column - I Column - II (a) Typhoid (i) Wuchereria (ii) Plasmodium (b) Pneumonia (iii) Salmonella (c) Filariasis (d) Malaria (iv) Haemophilus (a) **(b)** (c) (d) (1) (iv) (i) (iii) (ii) (2) (i) (ii) (iv) (iii) (3) (iii) (iv) (i) (ii) (4) (ii) (i) (iii) (iv)

110. The roots that originate from the base of the stem

(iv)

(i)

- (1) Lateral roots
- (2) Fibrous roots

(ii)

- (3) Primary roots
- (4) Prop roots
- Ans. (2) Fibrous roots

Ans. (3) (iii)

- **111.** Meiotic division of the secondary oocyte is completed :
 - (1) At the time of fusion of a sperm with an ovum
 - (2) Prior to ovulation
 - (3) At the time of copulation
 - (4) After zygote formation
- **Ans.** (1) At the time of fusion of a sperm with an ovum

- **112.** Identify the **wrong** statement with regard to Restriction Enzymes.
 - (1) Sticky ends can be joined by using DNA ligases.
 - (2) Each restriction enzyme functions by inspecting the length of a DNA sequence.
 - (3) They cut the strand of DNA at palindromic sites.
 - (4) They are useful in genetic engineering.
- **Ans.** (1) Sticky ends can be joined by using DNA ligases.
- **113.** In relation to Gross primary productivity and Net primary productivity of an ecosystem, which one of the following statements is **correct**?
 - (1) There is no relationship between Gross primary productivity and Net primary productivity.
 - (2) Gross primary productivity is always less than net primary productivity.
 - (3) Gross primary productivity is always more than net primary productivity.
 - (4) Gross primary productivity and Net primary productivity are one and same.
- **Ans. (3)** Gross primary productivity is always more than net primary productivity.
- **114.** The process of growth is maximum during:
 - (1) Dormancy
- (2) Log phase
- (3) Lag phase
- (4) Senescence
- Ans. (2) Log phase
- **115.** The sequence that controls the copy number of the linked DNA in the vector, is termed:
 - (1) Recognition site
 - (2) Selectable marker
 - (3) Ori site
 - (4) Palindromic sequence
- Ans. (3) Ori site
- **116.** Name the enzyme that facilitates opening of DNA helix during transcription.
 - (1) RNA polymerase
 - (2) DNA ligase
 - (3) DNA helicase
 - (4) DNA polymerase
- Ans. (1) RNA polymerase



- 117. Snow-blindness in Antarctic region is due to:
 - (1) Damage to retina caused by infra-red rays
 - (2) Freezing of fluids in the eye by low temperature
 - (3) Inflammation of cornea due to high dose of UV-B radiation
 - (4) High reflection of light from snow
- **Ans. (3)** Inflammation of cornea due to high dose of UV-B radiation
- 118. Strobili or cones are found in:
 - (1) Equisetum
- (2) Salvinia
- (3) Pteris
- (4) Marchantia
- Ans. (1) Equisetum
- **119.** Match the following columns and select the **correct** option.

Column - I (a) Floating Ribs (i) Located between second and seventh ribs (b) Acromion (ii) Head of the Humerus (c) Scapula (d) Glenoid cavity (iv) Do not connect with the sternum (a) (b) (c) (d)

	(a)	(b)	(c)	(d)	
(1)	(iv)	(iii)	(i)	(ii)	
(2)	(ii)	(iv)	(i)	(iii)	
(3)	(i)	(iii)	(ii)	(iv)	
(4)	(iii)	(ii)	(iv)	(i)	
(1) (iv)		(iii)		(i)	

- **120.** Which of the following is put into Anaerobic sludge digester for further sewage treatment?
 - (1) Activated sludge
 - (2) Primary sludge
 - (3) Floating debris
 - (4) Effluents of primary treatment
- Ans. (1) Activated sludge

Ans.

- **121.** Identify the wrong statement with reference to the gene 'I' that controls ABO blood groups.
 - (1) Allele 'i' does not produce any sugar.
 - (2) The gene (I) has three alleles.
 - (3) A person will have only two of the three alleles.
 - (4) When I^A and I^B are present together, they express same type of sugar.
- **Ans.** (4) When I^A and I^B are present together, they express same type of sugar.

- **122.** The ovary is half inferior in :
 - (1) Plum

(2) Brinjal

(3) Mustard

(4) Sunflower

Ans. (1) Plum

- **123.** The first phase of translation is :
 - (1) Recognition of an anti-codon
 - (2) Binding of mRNA to ribosome
 - (3) Recognition of DNA molecule
 - (4) Aminoacylation of tRNA
- Ans. (4) Aminoacylation of tRNA
- **124.** In gel electrophoresis, separated DNA fragments can be visualized with the help of :
 - (1) Ethidium bromide in infrared radiation
 - (2) Acetocarmine in bright blue light
 - (3) Ethidium bromide in UV radiation
 - (4) Acetocarmine in UV radiation
- Ans. (3) Ethidium bromide in UV radiation
- **125.** Dissolution of the synaptonemal complex occurs during :
 - (1) Leptotene
- (2) Pachytene
- (3) Zygotene
- (4) Diplotene
- Ans. (4) Diplotene
- **126.** Identify the substances having glycosidic bond and peptide bond, respectively in their structure :
 - (1) Inulin, insulin
- (2) Chitin, Cholesterol
- (3) Glycerol, trypsin
- (4) Cellulose, lecithin
- Ans. (1) Inulin, insulin
- **127.** Name the plant growth regulator which upon spraying on sugarcane crop, increases the length of stem, thus increasing the yield of sugarcane crop.
 - (1) Abscisic acid
- (2) Cytokinin
- (3) Gibberellin
- (4) Ethylene
- Ans. (3) Gibberellin
- **128.** Which of the following statements about inclusion bodies is **incorrect**?
 - (1) These represent reserve material in cytoplasm.
 - (2) They are not bound by any membrane.
 - (3) These are involved in ingestion of food particles.
 - (4) They lie free in the cytoplasm.
- **Ans.** (3) These are involved in ingestion of food particles.
- **129.** Which of the following regions of the globe exhibits highest species diversity?
 - (1) Amazon forests
 - (2) Western Ghats of India
 - (3) Madagascar
 - (4) Himalayas
- Ans. (1) Amazon forests



- **130.** How many true breeding pea plant varieties did Mendel select as pairs, which were similar except in one character with contrasting traits?
 - (1) 8
- (2) 4
- (3) 2
- (4) 14

Ans. (4) 14

- **131.** Identify the **wrong** statement with reference to immunity.
 - (1) Foetus receives some antibodies from mother, it is an example for passive immunity.
 - (2) When exposed to antigen (living or dead) antibodies are produced in the host's body. It is called "Active immunity".
 - (3) When ready-made antobodies are directly given, it is called "Passive immunity".
 - (4) Active immunity is quick and gives full response.
- **Ans. (4)** Active immunity is quick and gives full response.
- **132.** Which of the following is **not** an attribute of a population?
 - (1) Species interaction
 - (2) Sex ratio
 - (3) Natality
 - (4) Mortality
- Ans. (1) Species interaction

- **133.** Choose the **correct** pair from the following:
 - (1) Exonucleases: Make cuts at specific

positions within DNA

- (2) Ligases : Join the two DNA molecules
- (3) Polymerases : Break the DNA into fragments
- (4) Nucleases : Separate the two strands of DNA
- **Ans.** (2) Ligases: Join the two DNA molecules
- **134.** The process reponsible for facilitating loss of water in liquid form from the tip of grasss blades at night and in early morning is:
 - (1) Plasmolysis
- (2) Transpiration
- (3) Root pressure
- (4) Imbibition
- Ans. (3) Root pressure
- **135.** Which of the following is **not** an inhibitory substance governing seed dormancy?
 - (1) Para-ascorbic acid
 - (2) Gibberellic acid
 - (3) Abscisic acid
 - (4) Phenolic acid
- Ans. (2) Gibberellic acid

Assure your Success in

NEET (UG)

with

ALLEN®
Digital Classes
Study Online from Home



NEET 2019
NALIN
KHANDELWAL
Classroom Student

Class 12th Appeared/ Pass Students

Leader Batch

15th Sept.

Ex-ALLEN / 12th Pass in 2019 or before

Achiever Batch

16th Sept.

Apply at www.allen.ac.in

